

# EX11

**Commercial Duty Full Trip Plow**

**3/4 Ton Trucks with Plow Prep**

**1 Ton and Heavier Trucks**



**Available Sizes**

**90", 96", 102", 108"**

**304 Stainless Steel Moldboard  
& 1/2" Steel Cutting Edge**

An investment that will last.

**Floating A-Frame™**

Contour the road  
for clean scraping.

**Quick Mount II™+ with Jack Switch**

No need for a jack with integrated, swing down  
feet, and hydraulically-operated mount height  
adjustment.



**SnowDogg**  
by **Buyers**   
**NOTHING WORKS LIKE A DOGG™**



## SnowDogg™ EX80 II Snow Plow

**Buyers Part Number:** EX80II

**Buyers Products SnowDogg EX80 II Snow Plow gives commercial users a strong and reliable straight blade plow with rugged components and countless new features.**

- Corrosion-resistant 304 stainless steel moldboard with 1/2 in. cutting edge.
- Get an even scrape and even edge wear with the tubular steel Floating A-Frame™
- Enjoy 20% more ground clearance than previous EX models.
- Mount and dismount reliably and quickly with the all new QuickMount II™.
- Stack high and lift fast with a municipal-style single chain lift arm.
- Fleet interchangeability with all prior HD, EX, TE, CM, and XP plows.
- Clear with speed and agility using the 70° attack angle and 1-1/2 inch angle cylinders.
- Fully enclosed 2 HP power/hydraulic unit with full size SAE standard cartridge valves, 3/8 in. rubber hoses, and integral valve manifold, or opt to use your truck's central hydraulics.
- Cut through the dark with powerful dual-beam halogen plow lights with secure double post mounts.
- Ergonomic, backlit control is easy to use with gloves on.
- Get the value you deserve with standard shock kit, cast shoes, snow deflector, and blade guides.



## Specifications

Angle Cylinders	1 1/2 x 12"	Angled Blade Width	83.0"
Blade Height	31"	Blade Width	96"

## Specifications continued:

<b>Cutting Edge</b>	1/2 x 6"	<b>Electrical</b>	Headlamp Rated Replaceable Micro-ISO Relays
<b>Harnesses</b>	Separate Light and Hydraulic 4GA Power Wires	<b>Lift Cylinder</b>	2 x 6"
<b>Lights</b>	Dual Halogen Bulbs	<b>Moldboard Material</b>	304 Stainless Steel
<b>Moldboard Thickness</b>	12 Ga	<b>Mounting System</b>	QuickMount II™
<b>Plow Shoes</b>	Standard	<b>Plow Type</b>	Straight Blade
<b>Ribs</b>	9	<b>Snow Deflector</b>	Contoured Poly
<b>Stand</b>	Independent Swing Down Feet	<b>Trip Springs</b>	4
<b>Trip Style</b>	Full Trip	<b>Shipping Weight</b>	765 lb