
FDG14 MODEL







STANDARD FEATURES

10" x 12lb I-Beam Frame

25/16" Adjustable Coupler

3" Structural Channel Crossmembers

6" Tubing Outer Rails

Rub Rail, Stake Pockets & Pipe Spools

Diamond Plate Fender Plates

Cambered Dexter Nevr-R-Adjust Spring Axles

Multi-leaf Slipper Spring Suspension

Treated Pine 2x6 Floor

2 Electric Brake Axles

Dual Stirrup Steps

2 - 10k Drop-Leg Jacks

8' Slide-in Ramps

4 Standard 3" D-Rings

Black Mod Wheels

235/80R16 Radial Tires

Lifetime LED Lighting

All Lighting DOT Approved

7-Way Receiver Female Plug with Adapter

Powdura Powder Coat & One Cure Primer



FDG14 MODEL

14k 10" I-Beam Deckover Gooseneck

| 2021 BASE SPECS | | | | | | | | |
|-----------------|--------|-------|-------------|------------|------------|--------|--|--|
| WIDTH | LENGTH | GVRW | AXLES | TIRE/WHEEL | FRAME | WEIGHT | | |
| 102 | 20 | 14000 | 2 X 7000 lb | 235/80R16 | 10" I-Beam | 4460 | | |
| 102 | 22 | 14000 | 2 X 7000 lb | 235/80R16 | 10" I-Beam | 4660 | | |
| 102 | 24 | 14000 | 2 X 7000 lb | 235/80R16 | 10" I-Beam | 4910 | | |
| 102 | 25 | 14000 | 2 X 7000 lb | 235/80R16 | 10" I-Beam | 5410 | | |
| 102 | 26 | 14000 | 2 X 7000 lb | 235/80R16 | 10" I-Beam | 5550 | | |
| 102 | 28 | 14000 | 2 X 7000 lb | 235/80R16 | 10" I-Beam | 5750 | | |

^{*}WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

| OPTIONAL FEATURES | | | | | | | |
|-------------------|--|------|------------------------------|--|--|--|--|
| CODE | DESCRIPTION | CODE | DESCRIPTION | | | | |
| ES3 | Third Spring Axle (Three Electric Brakes) | E04 | Rough Oak Flooring (per ft.) | | | | |
| ESB | 2 - 8,000 Lb Axles (2 Elec. Brakes) | | Steel Floor (per ft.) | | | | |
| D30 | 5' Dove & 5' Rampage Ramps | | Deck Over Neck | | | | |
| D31 | 5' Self Cleaning Dove with two Flip-Over Ramps | U50 | Winch Plate (Floor) | | | | |
| D35 | 5' Self Cleaning Dove with two Slide-in Ramps | U52 | Winch Plate 1/2" (in neck) | | | | |
| J55 | 2 Speed Drop-Leg Jacks | | | | | | |





Photos may include optional features.